


RESEARCH ARTICLE

Open Access



Methodological challenges in European ethics approvals for a genetic epidemiology study in critically ill patients: the GenOSept experience

Ascanio Tridente^{1*} , Paul A. H. Holloway², Paula Hutton³, Anthony C. Gordon², Gary H. Mills⁴, Geraldine M. Clarke⁵, Jean-Daniel Chiche⁶, Frank Stuber⁷, Christopher Garrard⁵, Charles Hinds⁸, Julian Bion⁹ and The GenOSept National Coordinators, European Society of Intensive Care Medicine¹⁰

Abstract

Background: During the set-up phase of an international study of genetic influences on outcomes from sepsis, we aimed to characterise potential differences in ethics approval processes and outcomes in participating European countries.

Methods: Between 2005 and 2007 of the FP6-funded international Genetics Of Sepsis and Septic Shock (GenOSept) project, we asked national coordinators to complete a structured survey of research ethic committee (REC) approval structures and processes in their countries, and linked these data to outcomes. Survey findings were reconfirmed or modified in 2017.

Results: Eighteen countries participated in the study, recruiting 2257 patients from 160 ICUs. National practices differed widely in terms of composition of RECs, procedures and duration of the ethics approval process. Eight (44.4%) countries used a single centralised process for approval, seven (38.9%) required approval by an ethics committee in each participating hospital, and three (16.7%) required both. Outcomes of the application process differed widely between countries because of differences in national legislation, and differed within countries because of interpretation of the ethics of conducting research in patients lacking capacity. The RECs in four countries had no lay representation. The median time from submission to final decision was 1.5 (interquartile range 1–7) months; in nine (50%) approval was received within 1 month; six took over 6 months, and in one 24 months; had all countries been able to match the most efficient approvals processes, an additional 74 months of country or institution-level recruitment would have been available. In three countries, rejection of the application by some local RECs resulted in loss of centres; and one country rejected the application outright.

Conclusions: The potential benefits of the single application portal offered by the European Clinical Trials Regulation will not be realised without harmonisation of research ethics committee practices as well as national legislation.

Keywords: GenOSept, Genetic epidemiology, Research ethics, Decision-making, Human genetics, Intensive care

* Correspondence: ascanio.tridente@doctors.org.uk

¹Whiston Hospital, Prescott, Merseyside and Department of Molecular and Clinical Pharmacology, University of Liverpool, Liverpool, UK
Full list of author information is available at the end of the article



© The Author(s). 2019 **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.

Key messages

- The survey highlights the diversity in ethics assessment and approval procedures at national and local level across the EU for research involving genetic material and patients lacking capacity
- The improvements introduced by the European Clinical Trials Regulation to limit the adverse consequences of such variation are unlikely to be realised if current national variations in interpretation of research ethics guidance persist
- To improve the coherence and integration of ethics committees decision-making additional measures may be required to ensure consistent interpretation of national law across Europe

Background

Sepsis has been described as “one of the oldest and most elusive syndromes in medicine” [1]. Sepsis is a condition with high mortality risk. Many factors, such as genetics, age, gender, ethnicity, comorbid conditions, number of dysfunctional organs and temporal trends in markers of acute physiological derangement have been associated with sepsis outcomes [2–9].

The GenOSept project was conceived by the European Critical Care Research Network of the European Society for Intensive Care Medicine (ESICM) to investigate the potential impact of genetic variation on the host response and outcomes in sepsis. It was part-funded in 2004 for 4 years by the European Union 6th Framework Programme (<https://www.esicm.org/research/trials/endorsed-trials/completed-projects-supported/>). The collaboration has continued since through additional specific project funding. The aims of the project were to identify possible genetic determinants of outcome from sepsis in an international cohort of critically ill patients, and to build an intensive care medicine genetics collaboration between clinicians and scientists across Europe. GenOSept was launched in January 2005, with 18 countries and 160 intensive care units (ICUs) participating. Three genome centres (in Bonn, Paris and Oxford) supported the project. A total of 2257 evaluable patients were recruited between May 2006 and December 2008, providing important insights into the epidemiology and genetics of sepsis in Europe [10–16]. Collaborative analytical work continues using the samples which are stored in biobank facilities at the Wellcome Trust Centre for Human Genetics in Oxford.

European research: regulatory framework

A key component of the set-up phase of GenOSept was to determine the approval processes and outcomes of local and national ethics committees presented with a common protocol for genetic analysis in critically ill patients, many of whom would lack capacity. There are several European-

level regulations of relevance to genetics research (Table 1). At the time GenOSept was conceived in 2004, clinical trials performed in countries within the European Union (EU) were required to adhere to the requirements of Good Clinical Practice described in the European Clinical Trials Directive 2001/20/EC (http://ec.europa.eu/health/human-use/clinical-trials/directive/index_en.htm), which was issued in April 2001 and transposed into the national laws of each EU member state by 2004. Individual institutions within EU countries are not permitted to introduce different research ethics legislation and are expected to adopt the principles of the EU Directive, by a process of “transposition”. Such process requires the EU member states to enforce the directive by passing appropriate legislative implementation measures. Individual nations within the EU may also adopt their own national ethical guidance, which may (or may not) be accompanied by a national review process (or a local review process based on national guidance).

While the aims of the Directive were commendable in terms of attempting to harmonise research processes and safeguard persons enrolled in clinical trials, the guidance posed certain challenges which hampered the conduct of clinical research. The Directive failed adequately to recognise the special circumstances of research conducted in emergency care when patients may lack capacity and surrogates can be unavailable, and made no provision for ‘observational’ research lacking direct potential benefit to the participant. The application of the Directive was associated with increased economic, bureaucratic and administrative burdens and, especially in the case of multi-national studies, delays in the approval process, related to the fact that each member state’s research ethics apparatus could interpret the principles of the Directive in different ways. Given variations in national regulatory pathways, this resulted in research applications involving patients lacking capacity being rejected in some countries and approved in others, as we detail below.

Key ethical issues posed by the GenOSept project within this regulatory framework include the following:

- I. The lack of capacity inherent in critical illness challenged the requirement to respect patient autonomy in obtaining consent.
- II. The possibility of obtaining informed consent from surrogate decision-makers (‘legal representatives’) is much more difficult in the time-limited context of emergency care. This specific issue was mitigated by the possibility of obtaining blood for DNA testing for GenOSept at any time and patient data could be recorded retrospectively.
- III. The European Clinical Trials Directive created a semantic confusion by referring to observational research as ‘non-therapeutic’, in the sense that such studies may have no direct benefit to the participants. However, they may benefit future

Table 1 European regulations, position statements and advisory bodies affecting clinical research

Document	Source	Impact
Helsinki Declaration and the Universal Declaration on the human genome and human rights adopted by UNESCO (1997)	http://www.unesco.org/new/en/social-and-human-sciences/themes/bioethics/human-genome-and-human-rights/	Need for legal representative or deferred consent, in the event of incapacity; Genetic counselling; Research should 'contribute to the health benefit of other persons in the same age category or with the same genetic condition...'
International Declaration on Human Genetic Data (2003)	http://www.unesco.org/new/en/social-and-human-sciences/themes/bioethics/human-genetic-data/	Recognition of 'special status' for human genetic data
The Charter of Fundamental Rights of the EU (2000)	http://www.europarl.europa.eu/charter/default_en.htm	Protection of personal data
European Directive on processing and free movement of personal data (Directive 95/46/EC)	http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=CELEX:31995L0046:en:HTML	Protection for individuals about the processing and free movement of personal data
European Group on Ethics in Science and New Technologies	https://ec.europa.eu/research/eye/index.cfm	An advisory body to the European Commission on ethical aspects of science and new technologies
European Clinical Trials Directive 2001/20/EC	http://www.eortc.be/Services/Doc/clinical-EU-directive-04-April-01.pdf	Requirement for prior informed consent from legal representative made emergency research impossible; Semantic confusion of 'therapeutic' and 'non-therapeutic' research
The International Conference on Harmonisation Guidance on Good Clinical Practice (Topic E6) (CPMP/ICH/135/95)	http://www.ema.europa.eu/docs/en_GB/document_library/Scientific_guideline/2009/09/WC500002874.pdf	Principles of good clinical practice in clinical trials research
The Good Clinical Practice Directive 2005/28/EC	http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2005:091:0013:0019:en:PDF	Supplementing the Clinical Trials Directive
European Clinical Trials Regulation 2014	http://ec.europa.eu/health/human-use/clinical-trials/regulation/index_en.htm	Improving coordination of the application process for trials involving multiple countries, with creation of single EU entry point and trials databank

patients or populations through enhanced scientific knowledge. The Directive did not acknowledge this important distinction.

- IV. Public concerns about the security and privacy of genetic data [17] appeared to conflict with the study's methodological requirement to transfer human genetic material across national borders for analysis in the genotyping centres.
- V. The requirement to respect confidentiality of personal data required a study design which preserved

individual de-identification while retaining the capacity to link genotypic with phenotypic data. Linkage might also be necessary in the event that a participant were retrospectively to request the results of analyses performed on their samples. Preserving individual de-identification, while also retaining capability for data reconciliation where required, poses questions around the true sense and limitations of anonymization of data, as informatics technique evolve and the potential for

databases to be combined, integrated and cross-referenced increases.

To study the approaches to these issues taken by the research ethics committees, we therefore undertook an analysis of the processes and outcomes of ethics reviews across the European countries participating in GenOSept.

Methods

A GenOSept project national coordinator was appointed in each country to identify and support ICUs to consent, recruit, and obtain a single set of blood samples from patients with severe sepsis or septic shock due to community acquired pneumonia (CAP), peritonitis, severe pancreatitis or meningococcal disease.

Data protection

Individual de-identification was achieved while retaining the capability for data reconciliation, phenotypic integration and retrospective identification in the event of investigator enquiry, by using three coded numerical systems for clinical data, blood and DNA samples prior to the genomic analysis. A “linked anonymous” (de-identified) system involving a code specifying country ID (in letters e.g. UK), site ID (numerical) and patient ID (numerical) was used. This code was manually entered into the eCRF (electronic Case Report Form) and attached as a bar code to the blood samples and subsequently to the extracted DNA. Only the local clinician could link specific patients to their phenotypic data; the genome centres could only link the blood sample/DNA to the corresponding non-identified phenotypic data. The link between all three could only be made by an independent data Trustee, an academic lawyer from the UK with expertise in European legislation appointed by the project steering committee. It was stipulated that genetic information would not be made available to the patient.

Ethics and consent

The protocol included information about current European research legislation and a detailed description of the directives or position statements available at the time. The information sheet and consent form included a description of the project in non-medical terms which national coordinators were responsible for translating into their respective languages.

Following submission of the project to research ethics committees (RECs) in each country, national coordinators were subsequently invited to provide details of the submission process and outcome at study set-up, and then again following establishment of the European Regulation. The survey aimed at evaluating the following aspects for each participating European Country:

- organisational arrangements (whether the approval procedure had been centralised at national level, or whether a local or regional process had to be followed)
- the number of intensive care units involved within each participating nation
- the form in which the application was made (whether via a web portal or in hard copy)
- the usual composition of the REC (detailing the number of lay members and those with medical or legal expertise)
- the month and year of submission for ethics approval and the duration of the process until approval
- whether approval was granted to all units within each nation, some units only, or whether refused
- the need for submission of further information to the REC
- whether national guidelines existed for the conduct of research in critically ill patients

The survey explored both whether national ethics guidance existed, and whether a national review and approval process was in place. Data on the baseline characteristic of the submission process and ethics approval was reported using descriptive statistics with absolute and percentage values, median and interquartile ranges, as applicable and relevant to each result. Where comparisons between groups of countries were required (with regards to the presence or absence of a centralised approval process, and whether national guidance was available or not), inferential statistics were conducted in the form of linear regression analyses.

Results

Results are summarised in Table 2.

Organisational setup, number of ICUs involved and format

Eighteen countries were willing to participate, incorporating 160 ICUs. The median number of ICUs involved in each country was 7 (interquartile range 2–12), the range being 1–28. Eight (44.4%) countries used a single centralised national or regional ethics committee for approval, seven (38.9%) required approval by an ethics committee in each participating hospital, and three (16.7%), Portugal, Spain and the Czech Republic, required submission to both a centralised and a local approval process. All countries used a paper-based application approval process except the UK, where a web-based system was in place. Results are summarised in Tables 2 and 3.

Usual composition of RECs

Ethics committees included lay members in 14 (77.8%) countries and legal expertise in 13 (72.2%). In four (22.2%)

Table 2 Characteristics of the application process for Ethical approval across the various European countries involved in GenoSept

Country	National coordinator	No of ICUs	Is the ethics approval process centralized or local?	In what form is the ethics application made?		Which of the following are usual members of the ethics committees?			Outcome of GenoSept application process: range of centres approved		Month/year ethics application submitted & decision received	Approved or rejected	Interval (months)	Additional info / modification	National guidelines for Research in ICU pts
				Paper application	Web-based Application	Lay	Medical	Legal	All units	Some units					
Austria	Novak	1	✓	✓	-	✓	✓	✓	✓	-	02/07	09/07	7	✓	✓ ^a
Belgium	Damas	7	✓	✓	-	✓	✓	✓	✓	-	02/06	05/06	3	✓	-
Czech Re	Sramek	8	✓	✓	-	✓	✓	✓	✓	-	07/05	07/05	<1	✓	-
Croatia	Gasparovic	2	-	✓	-	-	✓	-	✓	-	11/07	3/08	4	-	-
Estonia	Sarapu	2	✓	✓	-	✓	✓	✓	✓	-	06/05	06/05	<1	-	-
France	Chiche	8	✓	✓	-	✓	✓	-	✓	-	10/05	10/06	12	✓	✓
Germany	Bloos	12	-	✓	-	✓	✓	✓	-	✓	07/05	08/05	1	-	-
Greece	Armanagidis	2	-	✓	-	-	✓	-	✓	-	04/06	04/06	<1	-	-
Hungary	Bobek	10	✓	✓	-	-	✓	-	✓	-	10/05	09/07	24	✓	-
Ireland	Ryan	7	-	✓	-	✓	✓	✓	✓	-	03/06	10/06	7	-	-
Israel	Weiss	5	✓	✓	-	✓	✓	✓	-	✓	08/05	02/06	6	✓	✓
Italy	Cotogni	24	-	✓	-	✓	✓	✓	-	✓	01/06	03/06	2	✓	✓
NL	Hazelzet	1	-	✓	-	✓	✓	✓	✓	-	01/07	11/07	9	-	✓
Poland	Mikstaki/Tamowicz	22	✓	✓	-	-	✓	-	✓	-	05/05	06/05	1	-	✓
Portugal	Carneiro	0	✓	✓	-	✓	✓	✓	-	✓	08/05	08/06	<1	-	-
Serbia	Subatovic	2	-	✓	-	✓	✓	✓	✓	-	07/06	07/06	<1	-	✓
Spain	Sirgo/Rello	19	✓	✓	-	✓	✓	✓	✓	-	07/05	08/05	1	-	✓
UK	Hinds	28	✓	-	✓	✓	✓	✓	✓	-	03/06	04/06	1	-	✓
Totals	18 countries	160	11	10	17	1	14	18	13	14	3	1	Median interval = 1.5 months	7	9

^aAustria: the REC which received the application recommended inclusion only of those critically ill patients who had capacity to give consent

Table 3 Characteristics of the RECs across the various European countries involved in GenOSept

Characteristic	Median (IQR) or n (%) [Range]
No of ICUs per country	7 (2–15) [1–28]
Countries with centralized (national/regional) REC only	8 (44.4%)
Countries with local REC only	7 (38.9%)
Countries with both centralized and local REC	3 (16.7%)
Countries with paper application process	17 (94.4%)
Countries with online application process	1 (5.6%)
Medical members of REC	18 (100%)
Lay and Legal members of REC	13 (72.2%)
Lay but no Legal members of REC	1 (5.6%)
Approval at all units within country	14 (77.8%)
Approval at some units within country	3 (16.7%)
No approval at country	1 (5.6%)
Application process duration (months)	1.5 (1–7) [1–24]
Additional information or modification required	7 (38.9%)
Countries with National guidelines for research in critical care	9 (50%)

IQR inter-quartile range, n absolute number, % percentage

countries (Croatia, Greece, Hungary and Poland) the ethics committees were exclusively composed of medical doctors, with no patient or public (lay) representation.

Timing and duration of the approval process

Submissions for ethics approval were made, in the various countries, between May 2005 and November 2007. The median time from submission to final decision was 1.5 (interquartile range 1–7) months. In nine (50%) countries the application was approved within 1 month, while in six it took over 6 months; the duration was calculated as a “combined permissions process” (the times presented here were those including all regulatory and ethical steps between application submission and granting of permission to proceed). In Hungary the process of submission, initial rejection, and requests for clarifications and resubmission following appeal took more than 2 years before approval was granted, by which stage it was no longer possible to recruit centres.

Centralisation of approval did not confer greater efficiency. Median (Interquartile range) approval time in the countries with a centralised (national and/or regional) approval process was 1 (1–7) month, versus 2 (1–7) months in countries without such centralisation (linear regression analysis $p = 0.57$, $r^2 = 0.02$).

If the nine countries with approval times of more than 1 month had been as efficient as those with approval

times of 1 month or less, an additional 74 months of potential country or institution-wise recruitment would have been available in the first 2 years of the project.

Approval outcomes

Ethics applications were approved for all participating ICUs in 14 countries. In three countries (Germany, Italy and Israel) the local ethics committees at some hospitals rejected the application, hence the study could only proceed in the remainder. In particular, in Italy approval was obtained for 14 (63.6%) of the 22 ICUs willing to participate; in Israel only for 5 (55.6%) out of 9 ICUs, while in the case of Germany the proportion was 12 (80%) out of 15 ICUs. This clearly indicates different interpretations of the same Directive within the same national regulatory environment. Portugal was unable to participate at all because one local committee and the national committee rejected the proposal.

Reasons for rejection of the application were diverse. They included disagreement about the acceptability of performing genetic research in incapacitated patients and taking blood from an unconscious patient (Italy), concerns about sending blood samples out of the country (Israel), and doubts about security of anonymity, validity of assent from relatives or legal representative, inclusion criteria and selection of genes to be studied, and concerns about unauthorised use of genetic data. In Portugal the application was rejected primarily because of concerns about the commercial use of human tissue and genetic data, as one of the scientific partners was SIRS-Lab, a university spin-off company; approval could not be obtained despite clear agreements about the use of intellectual property and the fact that the EU encouraged such partnerships.

Need for submission of further information to the REC

In seven countries the applicants were required to submit additional information or modify the application. In Austria for example, the law required informed consent from the patient, thereby excluding patients without capacity; for this country the protocol was therefore modified to include only conscious patients capable of giving informed consent.

Data access requests

No patient included in the study requested access to their information; hence the Data Trustee's adjudication was not required at any time.

National guidelines

Guidance at national level on the conduct of research in critically ill patients existed for 9 (50%) of the countries (Austria, France, Israel, Italy, the Netherlands, Poland, Serbia, Spain and the UK). Importantly, the fact that a

country provides national guidance does not necessarily imply that there is a centralized review process to interpret such guidance. Indeed local institutions may interpret national guidelines in different ways. The existence of national guidelines was not associated with shorter time to approval, or with greater consistency in within-country decision making. Median (Interquartile range) approval time in the countries with existing national guidance was 1 (1–4) month, versus 2 (1–7) months in countries without guidance (linear regression analysis $p = 0.91$, $r^2 = 0.001$).

Discussion

We found substantial and persisting variations between EU member states in the organisation, structures, processes, efficiency, and decision-making of research ethics committees (RECs) in their assessments of an EU-funded observational study investigating the genetics of sepsis. In three countries decisions were inconsistent between individual centres, while one country did not allow any of its citizens to participate. The existence of national guidance was not always complemented by a centralized review process with uniform interpretation of such guidance. It seems paradoxical that, in two of the nine countries (Italy and Israel) where national guidance for ethics approval did exist, differential interpretation across the various local institutions led to approval being granted only for some of the centres willing to participate. In some centres delays in approvals and idiosyncratic requirements for protocol modifications hampered timely site initiation and patient accrual. If the nine countries with approval times of more than 1 month had been as efficient as those with approval times of 1 month or less, an additional 74 months of country or institution- level recruitment opportunities would have been realised in the first 2 years. Unnecessarily lengthy and laborious research ethics approval processes negatively impact on the perceived efficiency of the process, leading to increased dissatisfaction amongst academics [18]. The responses from some of the RECs involved in assessing the GenOSept application suggests unwarranted and potentially paternalistic exclusion of patients lacking capacity [19], the consequence being that critically ill patients may be excluded from benefiting from research participation.

The lack of standardized membership requirements for RECs which we have identified, and the recognised lack of a common ethics training curriculum, could also contribute to variation in practices and outcomes [20].

It is possible that RECs identified unique difficulties relating to cross-border genetics research which may have contributed to diversity in decision making. However, every REC received the same protocol for evaluation, and the critical care patients recruited to the various centres all met the same inclusion and exclusion

criteria across the various EU countries. We therefore must conclude that the diversity in REC outcomes was attributable to non-clinical factors at an institutional, or national, level. Some of these factors must have been related to country-specific attitudes or legislation. Such diversity of decision-making between RECs is inconsistent with the principle of a harmonised approach to ethics across national borders. It is likely that attitudes amongst ethics committee members to genetics research in patients lacking capacity may have become modified in the years since the Human Genome project was completed.

Attempts to standardise the ethics of clinical research over many years [21, 22] have been hampered by the failure of the European Clinical Trials Directive 2001 [23] to accommodate the particular challenges of research in emergency settings [23–29], by widely differing interpretations of ethical principles by national or local RECs, as well as variations in approval processes [21–26]. The absence of harmonised processes and standardised interpretation delays studies, creates additional costs, and may prevent citizens from participating in research, while failing to provide added protection for participants [30–35].

The European Clinical Trials Regulation (http://ec.europa.eu/health/human-use/clinical-trials/regulation/index_en.htm) is a welcome attempt to resolve these difficulties (anticipated implementation in 2019). It requires that research applications are processed by one member state with the outcomes applying to all. This measure resembles the approach of the US National Institutes of Health, which have recently mandated the use of a single Institutional review board for multi-centre clinical studies. However, while the Regulation requires member states to cooperate in assessing a request for authorisation of a clinical trial, it does not include cooperation on matters ‘*of an intrinsically national nature, such as informed consent*’ (paragraph 6), though it does state that ‘*ethics committees... should ensure the involvement of laypersons, in particular patients or patients’ organisations*’. It remains to be seen whether the requirement to process approvals through a single member state will solve the issue of wide variation in national research ethics processes and outcomes. It is evident that the current trials regulations, combined with the absence of standardised procedures and training of RECs have increased the complexity and burdens of research governance, and have reduced the opportunity for participation in research, without evidence of benefit to participating subjects [36].

Additional issues and challenges

An example of additional challenges faced by researchers in this area is provided by the UK. Here the Mental

Capacity Act (2005) makes welcome provision for ‘non-interventional’ and emergency research; however, in the event of a consented person losing capacity during the research study, ‘advice’ must be obtained from the next of kin or equivalent consultee on whether the incapacitated person would have wished to continue with the study, even if the intervention has already occurred and that specific individual is now in the follow up phase [37]. If the consultee is of the view that the patient would not have wished to continue in the study, the patient must be withdrawn and the data destroyed or de-identified, unless the patient specifically consented to continue in the study in the event of loss of capacity.

A further example is the case of patients consenting to participate provided there was no risk that an organisation related to the government could access their data. In such a situation, medical, nursing and research staff would be allowed to use the data for the purposes of the study, but a government regulatory authority would not be allowed to review the notes or the data, even in the context of an inspection.

Strengths and limitations

The GenOSept project began data collection over 10 years ago, and our survey demonstrates the challenges which continue to be faced by international researchers across member states involving genetic material and patients who lack capacity. Our findings show that efficient trans-European approval processes are possible. However, unexplained variation between some local and national ethics committees is having an undesirable effect on patient participation. While our survey did not allow for interaction with individual ethics committees to explore in greater detail the reasons for these variations in decision-making, we were able to use the information provided in the approval or rejection letters.

Conclusions

Our study highlights the diversity and adverse consequences of variation in ethics assessment and approval procedures at national and local level across the EU for research involving genetic material and patients lacking capacity. The improvements introduced by the European Clinical Trials Regulation will not be realised if current national variations in interpretation of research ethics guidance persist. The invaluable service provided by these committees to patients and the research community may require targeted support to develop a common interpretation of European legislation and the moral assumptions underpinning research in critically ill patients lacking capacity.

Additional file

Additional file 1: List of Contributing Centres and Investigators. (DOC 121 kb)

Abbreviations

CAP: Community acquired pneumonia; eCRF: Electronic Case Report Form; ESICM: European Society for Intensive Care Medicine; EU: European Union; FP6 Sixth: Framework Programme (European Commission); GenOSept: Genetics Of Sepsis and Septic Shock; ICU: Intensive care unit; MREC: Multicentre Research Ethics Committee; REC: Research Ethic Committee

Acknowledgements

GenOSept National Coordinators:

Jordi Rello.
jrello@crips.es
 Gonzalo Sirgo.
gsirgolanco@yahoo.es
 Paolo Cotogni.
paolo.cotogni@unito.it
 Apostolos Armaganidis.
aarmag@med.uoa.gr
 Thomas Ryan.
tryan@stjames.ie
 Frank Bloos.
frank.bloos@med.uni-jena.de
 Ivan Novak.
novaki@fnplzen.cz
 Vladimir Gasparovic.
vgasparovic111948@yahoo.com
 Ilona Bobek.
bobekilona@gmail.com
bobeki@ogyik.hu
 Adam Mikstacki.
mikstacki@lutycka.pl
 Jan Hazelzet.
j.a.hazelzet@erasmusmc.nl
 Yoram Weiss.
weiss@hadassah.org.il
 Antonio Carneiro.
a.carneiro.ucip@hgsa.min-saude.pt
 Silver Sarapuu.
silver.sarapuu@kliinikum.ee
 Pierre Damas.
pdamas@chu.ulg.ac.be
 Maja Surbatovic.
anes@EUnet.yu
 Vladimir Sramek.
sramek@fnusa.cz

The authors of this manuscript wish to thank all GenOSept Investigators, as listed in the supplement.

Funding

The GenOSept study was supported by the European Union and the 6th Framework Programme (European Commission Reference: LSHM-CT-2005-518226) and the Wellcome Trust Core Award (Grant Number 090532/Z/09/Z). Clinical engagement was gained through the Trials Group of the European Society of Intensive Care Medicine. National coordinators in each country provided their time to support the project. Additional support was obtained from the Wellcome Trust Centre for Human Genetics (Wellcome Trust grant reference 090532/Z/09/Z and MRC Hub grant G0900747 91070). ACG is funded by a National Institute for Health Research Clinician Scientist Fellowship award. German project management was partly funded by the Federal Ministry of Education and Research (0312617) and the Thuringian Ministry of Education (B309-00014). We thank the VASST and PROWESS investigators and Eli Lilly and Company for allowing us to access the genome-wide genotyping data and phenotypic information for patients recruited to these trials. We acknowledge the support of the National Institute for Health Research (NIHR), through the Comprehensive Clinical Research

Network for patient recruitment in the UK and A. C. G. as an NIHR Clinician Scientist award holder.
The funding bodies did not contribute to the study design, the collection, analysis, and interpretation of data, nor in writing the manuscript.

Availability of data and materials

Reasonable requests to access the datasets analysed will be adjudicated by the GenOSept management committee.

Authors' contributions

AT conducted statistical analyses on the survey database, appraised the background literature, prepared the first draft of the manuscript and coordinated subsequent revisions; JB conceived the study, contributed to drafting and reviewing the manuscript and evaluating the survey database, contributed to the background literature appraisal; GMC contributed to revise the manuscript; ACG contributed to reviewing the manuscript; PH contributed to revise the manuscript; J-DC contributed to revise the manuscript; PAHH contributed to revise the manuscript; GHM contributed to revise the manuscript; FS conceived the study, contributed to reviewing the manuscript; CG conceived the study, contributed to quality assurance of the database, contributed to drafting and reviewing the manuscript; CH conceived the study, contributed to drafting and reviewing the manuscript. All authors read and approved the final manuscript.

Authors' information

Not applicable.

Ethics approval and consent to participate

Written, informed consent for inclusion in the GenOSept study was obtained from all patients or a legal representative. Ethics approval was obtained either nationally and/or locally. The studies were performed in accordance with the ethical standards laid down in the 1964 Declaration of Helsinki and its later amendments.

List of ethical bodies that approved the studies

MREC, Multicentre Research Ethics Committee

The MRECs gave overall approval for the studies to be conducted in the UK

- Scotland A Research Ethics Committee
- Berkshire Research Ethics Committee

REC, Research Ethics Committee

Ethic Commissions/Bodies

Austria

Ethikkommission Land Salzburg Ethik Kommission für das Bundesland Salzburg	Ethikkommission für das Bundesland Salzburg Sebastian-Stief-Gasse 2 5020 Salzburg Postanschrift: Amt der Salz- burger Landesregierung Ethikkom- mission für das Bundesland Salzburg Postfach 527 5010 Salzburg Austria
--	---

Belgium

Comite d'Ethique ISPPC	Chu – Charleroi Boulevard Zoé Drion, 1 6000 Charleroi Belgium
Comite d'Ethique Hospitalo- Facultaire de Liege	Centre Hospitalier Universitaire de Liège Domaine Universitaire du Sart Tilman Bâtiment B 35 B-4000 Liège Belgique Clinique Saint Pierre, Av- enue Reine Faïbiola, 9 1340 Ottignies Belgium

Croatia

Research Ethics Committee Zagreb	University hospital Clinical Hospital Rebro Emergency and Intensive Care Medicine/Internal Medicine Kispaticeva 12 HR – 1000 Zagreb Croatia
----------------------------------	---

(Continued)

Ethic Commissions/Bodies

Czech Republic

Multicenter Ethics Committee Stanovisko multicentrické Etické Komise Fakultní Nemocnice U SV. Anny V Brno	Faculty hospital Brno Jihlavská 20 625 00 Brno Czech Republic
Ethics Committee of Faculty Hospital Hradec Králové	Sokolaska 581, 500 05 Hradec Czech Republic
Ethics Committee of the University Hospital and Faculty of Medicine Palacky University in Olomouc	I.P. Pavlova 6, 775 20 Olomouc Czech Republic
Ethics Committee at University Hospital Ostrava	Ethics Committee Fakultní nemocnice s poliklinikou Ostrava 17. listopadu 1790, 708 52 Ostrava Poruba, Czech Republic
Ethics Committee Rozhodnutí Etické Komise Fakultní Nemocnice Pízen	FN a LF UK Plzeň tř. Dr. E. Beneše 13 305 99 Plzeň Czech Republic
Ethics Committee of Masaryk's Hospital Usti n.Labem	Socialni pece 3316/12 A 401 13 Usti n. Labem Czech Republic
Etická Komise Nemocnice Znojmo	Nemocnice Znojmo, příspěvková organizace MUDr. Jana Janského 11 669 02 Znojmo Czech Republic
Ethics Committee for multicenter clinical trials County Hospital Liberec	Husova 10, Liberec, Czech Republic
Etická Komise pro multicentrická hodnocení Krajská nemocnice Liberec	Liberec, Husova 10 460 63 Liberec 1 Czech Republic

Estonia

Ethics Committee on Human Research of the University of Tartu	TU Biomeedikum Room 3050 Ravila Str 19 51,014, Tartu, Estonia
--	--

France

REC Service de Réanimation Médicale	HOPITAL COCHIN 27, rue du Fbg St Jacques FR - 75,679 PARIS CEDEX 14
REC Service de Réanimation Médicale	HOPITAL BICETRE 78 rue du général leclerc FR - 94,275 LE KREMLIN BICETRE CEDEX
REC Service de Réanimation Médicale	HOPITAL BICETRE 78 rue du général leclerc FR - 94,275 LE KREMLIN BICETRE CEDEX
REC Service de Réanimation Médicale	HOPITAL BICHAT 46 rue Henri Huchard FR - 75,018 PARIS
REC Service de Réanimation Médicale	HOPITAL BEAUJON 100 Boulevard du Général Leclerc FR - 92,110 CLICHY
REC Service de Réanimation Médicale	HOPITAL GARCHES RAYMOND POINCARÉ 104 boulevard Raymond Poincaré FR - 92,380 GARCHES
REC Service de Réanimation Médicale	HEGP 20 rue Leblanc FR - 75,015 PARIS
REC Service de Réanimation Médicale	Hospital God Hotel Ap-Hp HOTEL DIEU 1 place du Parvis Notre Dame FR - 75,004 PARIS
REC Service de Réanimation Médicale	LOUIS MOURIER COLOMBES 178 rue Renouillers FR - 92,700 COLOMBES
REC Service de Réanimation Médicale	SAINT ANTOINE 184 rue du Faubourg St Antoine FR - 75,012 PARIS

(Continued)

Ethic Commissions/Bodies	
REC Service de Réanimation Médicale	PITIE SALPETRIERE 47–83 bd Hôpital FR - 75,013 PARIS
REC Service de Réanimation Médicale	PITIE SALPETRIERE 47–83 bd Hôpital FR - 75,013 PARIS
REC Service de Réanimation Médicale	SAINT LOUIS 1 av. Claude Vellefaux FR - 75,010 PARIS
REC Service de Réanimation Médicale	TENON 4 rue de la Chine FR - 75,020 PARIS
REC Service de Réanimation Médicale	SAINT JOSEPH 185 rue Raymond Losserand FR - 75,014 PARIS
REC Service de Réanimation Médicale	ARGENTEUIL VICTOR DUPOUY 69 rue Lieutenant-Colonel Prudhon FR - 95,100 ARGENTEUIL
REC Service de Réanimation Médicale	EVRY LOUISE MICHEL Rue Pont Amar.Quartier Canal Coucouronnes FR - 91,014 EVRY
REC Service de Réanimation Médicale	COULOMMIERS CH RENE ARBELTIER Rue Gabriel PERI FR - 77,120 PALAISEAU
REC Service de Réanimation Médicale	LILLE 2 ALBERT CALMETTE Bd prof. Jules Leclerc FR - 59,037 LILLE CEDEX
REC Service de Réanimation Médicale	PONTOISE CH RENE DUBOS 6 av. Ile de France FR - 95,301 CERGY PONTOISE
REC Service de Réanimation Médicale	CHRU ANGERS 4 rue Larrey FR - 49,033 ANGERS CEDEX 01
REC Service de Réanimation Médicale	PELLEGRIN TRIPODE 1 Place Amélie Raba Léon FR - 33,076 BORDEAUX
REC Service de Réanimation Médicale	CHU BRETONNEAU 2 bld Tonnellé FR - 37,044 TOURS
REC Service de Réanimation Médicale	POITIERS JEAN BERNARD 350 av. Jacques Cœur FR - 86,021 POITIERS
REC Service de Réanimation Médicale	HOPITAL COTE DE NACRE av. Côte de Nacre FR - 14,300 CAEN
REC Service de Réanimation Médicale	CHU DE NICE Rte St Antoine Ginestière FR - 06200 NICE
REC Service de Réanimation Médicale	CHU PONTCHAILLOU 2 rue Henri-Le-Guilloux FR - 35,000 RENNES
REC Service de Réanimation Médicale	CHU NANCY 29 av. du Maréchal de Lattre de Tassigny FR - 54,000 NANCY
REC Service de Réanimation Médicale	CH SUD-FRANCILIEN 59 boulevard Henri Dunant FR - 91,106 CORBEIL-ESSONNES CEDEX
REC Service de Réanimation Médicale	SAINTE MARGUERITE 270 bld de Sainte Marguerite FR - 13,274 MARSEILLE CEDEX 9
REC Service de Réanimation Médicale	ROGER SALENGRO Boulevard du Pr Emile Laine FR - 59,037 LILLE
REC Service de Réanimation Médicale	GUSTAVE DRON 135 rue du Président Coty FR - 59,200 TOURCOING
REC Service de Réanimation Médicale	CHU MONTPELLIER 80 Avenue Augustin Fliche FR - 34,295 MONTPELLIER CEDEX 5
REC Service de Réanimation Médicale	HENRI MONDOR 51 av. Mar de Lattre de Tassigny FR - 94,000 CRETEIL

(Continued)

Ethic Commissions/Bodies	
REC Service de Réanimation Médicale	CHU RANGUEIL 1, avenue Jean Poulhes FR - 31,403 CEDEX 04 TOULOUSE
REC Service de Réanimation Médicale	CHU PURPAN CHU Toulouse- Hôpital Purpan FR - 31,059 TOULOUSE CEDEX
REC Service de Réanimation Médicale	CH LYON SUD 165 Chemin du Grand Revoyet FR - 69,495 PIERRE-BENITE
REC Service de Réanimation Médicale	HOPITAL LA SOURCE BP6709 FR - 45,067 ORLEANS CEDEX
REC Service de Réanimation Médicale	CH VERSAILLES 177 rue de Versailles FR - 78,187 LE CHESNAY CEDEX
REC Service de Réanimation Médicale	CH BELFORT 14 rue de mulhouse FR - 90,000 BELFORT
Germany	
Ethik Kommission Landesärztekammer Rheinland-Pfalz	Postfach 29 2,655,019 Mainz Germany
Ethik Kommission Ärztekammer Mecklenburg-Vorpommern	Ernst Moritz Amdt Universität Greifswald, Friedrich-Loeffler Str. 23d 17,487 Greifswald Germany
Ethik Kommission Bayerische Landesärztekammer	Mühlbauerstr.16 D-81677 München Germany
Ethik commission Technische Universität Dresden	Ethikkommission Technische Universität Dresden Fetscherstraße 74 01307 Dresden Germany
Ethik Kommission Universitätsklinikum Rheinisch Westfälische Technische Hochschule Aachen	Universitätsklinikum Aachen Pauwelsstraße 30 52,074 Aachen Germany
Ethik Kommission Universitätsklinikum Jena der Friedrich –Schiller	Bachstrasse 18, D-07740 Jena Germany
Ethik Kommission Schleswig-Holstein	Arnold-Heller-Straße 3 - Haus 18 24,105 Kiel Germany
Ethik Kommission for Ärztekammer Hamburg	Humboldtstrasse 67a – 22,083 Hamburg Germany
Ethik Kommission Universität Heidelberg	Maybackstrasse 14–15, D68169 Mannheim Germany
Ethik Kommission Friedrich-alexander Universität Erlangen-Nuremberg	Ethik-Kommission der Medizinischen Fakultät der Friedrich-Alexander-Universität Erlangen-Nürnberg Krankenhausstraße 12 91,054 Erlangen Germany
Ethik Kommission Rheinische Friedrich-Wilhelms Universität	Reuterstr. 2b 53,113 Bonn Germany
Ethik Kommission Universität Ulm	Helmholtzstrasse 20 D-89081 Ulm Germany
Ethik Kommission Ärztekammer des Saarlandes	Faktorestrasse 4 66,111 Saarbrücken Germany
Greece	
Sismanoglio Geniko Nosokomeio	Sismanogliou 1 Marousi 151 26 Greece
Hungary	
REC	

(Continued)

Ethic Commissions/Bodies	
	UNIVERSITY OF DEBRECEN Anaesthesiology and IC HU - DEBRECEN
REC	SZENT IMRE KAIBO Amerikai 57 HU - 1145 BUDAPEST
REC	JAVORSZKY ÖDÖN HOSPITAL KAIBO Argenti Döme tér 1–3 HU - 2600 VAC
REC	SEMMELWEIS UNIVERSITY Surgery 1St Ulloi Ut, 78 HU - 1082 BUDAPEST
REC	UZSOKI HOSPITAL ICU Uzsoki str., 29 HU - 1145 BUDAPEST
REC	COUNTY HOSPITAL ICU Megyei Korhaz Szentpéteri Kapu 72–76 HU - 3501 MISKOLC
REC	ST GEORGE COUNTY HOSPITAL General ITU Seregélyesi Street, 3 HU - 8000 SZEKESFEHERVAR
REC	UNIVERSITY OF PECS Anaesthesia and IC Ifjusag Ut, 13 HU - 7624 PECS
REC	OGYK HOSPITAL Intenzív Osztály Szabolcs u. 33–35 HU - 1135 BUDAPEST
REC	SZEGED UNIVERSITY Anaesthesiology and IC, Medical ICU Koranyi Fasor, 7 HU - 6720 SZEGED
REC	PANDY KALMAN COUNTY HOSPITAL ICU Semmelweis Street 1. HU - 5700 GYULA
Israel	
Helsinki Ethics Committee	Kiryat Hadassah, POB 12000 Jerusalem, 91,120, Israel
Ireland	
Ethics Commission University College Cork, Ireland	Lancaster Hall, 6 Little Hanover Street, Cork, Ireland
Ethics Commission The Adelaide & Meath Hospital, Dublin	Tallaght, Dublin 24, Ireland
Ethics Commission Merlin Park Hospital, Galway	Unit 4, Merlin Park Hospital Galway Ireland
Italy	
Comitato Etico dell'Azienda Sanitaria Ospedaliera "San Giovanni Battista" di Torino	Corso Bramante 88–90 10,126 Torino Italy
Comitato Etico Università' degli studi di Napoli Federico II comitato etico per le attività biomediche	Via Sergio Pansini 5 80,131 Napoli Italy
Comitato Etico Azienda Ospedaliera Universitaria Ospedali Rhuniti, Ancona	VIA CONCA 71 60,126 ANCONA (Ancona) Italy
Comitato Etico Azienda Ospedaliera Universitaria Careggi, Firenze	Viale Peiraccini 28 50,139 Firenze Italy
Comitato Etico Azienda Ospedaliera San Gerardo, Monza	Via Pergolesi 33 20,053 Monza (MI) Italy
	Via A. Moro 8 Cona (FE) Italy

(Continued)

Ethic Commissions/Bodies	
	Comitato Etico Azienda Ospedaliera Universitaria Di Ferrara
Netherlands	
Ethische Commissie Erasmus MC Universitair Medisch Centrum Rotterdam	Postbus 2040 3000 Ca Rotterdam Netherlands
Poland	
Komisja Karol Marcinkowski University of Medical Sciences in Poznan	Collegium Maius Fredry 10 61–701 Poznań Poland
Portugal	
Not applicable: ethics approval declined	
Serbia	
Ethics Committee of Military Medical Academy	17 Crnotravska Serbia
Ethics Committee of Clinical Center Kragujevac	CLINICAL CENTER KRAGUJEVAC Zmaj Jovina street 30 Kragujevac Serbia
Spain	
Comite Etico de Investigacion Clinica del Hospital General Universitario de Alicante	Hospital General Universitario de Alicante Pintor Baeza, 12, 03010 Alicante, Spain
Comite Etico Hospital Universitario Dr. Peset	Av. de Gaspar Aguilar, 90, 46,017 València, Valencia, Spain
Comite Etico de Investigacion Clinica del Hospital de Bellvitge Barcelona	Feixa Llarga, s/n, 08907 L'Hospitalet de Llobregat, Barcelona, Spain
Comite Etico Hospital Universitario Puerta Del Mar	Av. Ana de Viya, 21, 11,009 Cádiz, Spain
Comite Etico Hospital Universitario de Gran Canaria	Calle Dr. Alfonso Chiscano Díaz, 338 35,010 Las Palmas de Gran Canaria, Las Palmas, Spain
Comite Etico Hospital Universitario de La Princesa Madrid	Calle de Diego Leon, 62, 28,006 Madrid, Spain
Comite Etico Hospital General Universitario Reina Sofia de Murcia	Av. Intendente Jorge Palacios, 1, Murcia, Spain
Comite Etico Hospital Virgen de la Victoria Malaga	Campus de Teatinos, s/n, 29,010 Málaga, Spain
Comite Etico Hospital De Mataro, Consorti Sanitari del Maresme	Carrer Prolongació Cirera, s/n, 08304 Mataró, Barcelona, Spain
Comite Etico Hospital Clinico San Carlos	Profesor Martín Lagos, S/N Madrid - 28,040 Spain
Comite Etico Hospital Universitari De Tarragona Joan XXIII	C/ Dr. Mallafrè Guasch, 4, 43,005 Tarragona, Spain
Comite Etico Hospital de Sagunto	Avenida Ramón y Cajal, S/N, 46,520 Sagunt, Valencia, Spain
Comite Etico Centro Medico Delfos	Av. de Vallcarca, 151, 08023 Barcelona, Spain
Comite Etico Hospital Universitari Joan XXIII de Tarragona	C/ Dr. Mallafrè Guasch, 4, 43,005 Tarragona, Spain
Comite Etico de investigacion Clinica De Aragon (CEICA)	Avenida Gomez Laguna 25 planta 3 50,009 Zaragoza Spain
Comite Etico Hospital de Basurto	Montevideo Etorb., 18, 48,013 Bilbao, Vizcaya, Bizkaia, Spain

(Continued)

Ethic Commissions/Bodies

Comite Etico Hospital Santa Maria del Rosell	Paseo de Alfonso XIII, 61, 30,203 Cartagena, Spain
Comite Etico Hospital Universitario Arnau de Vilanova de Lleida	Avenida Alcalde Rovira Roure, 80 25,198 Lleida Spain
Comite Etico Hospital Universitario de Burgos	Avda. Islas Baleares, 3, 09006 Burgos, Spain
Comite Etico Hospital Universitario Puerto Real	Carretera Nacional IV, km 665, 11,510 Puerto Real, Cádiz, Spain
Comite Etico Hospital Universitari de Girona Doctor Josep Trueta	Avenida França, s/n, 17,007 Girona, Spain
Comite D'Etica d'Investigacio Clinica Consorci Hospitalari de Vic	Av. de França, s/n 9a planta A -Despatx 913 17,007 – Girona Spain

For individual recruitment centres, chief and principal investigators, national coordinators and contributors see relevant lists in the Additional file 1.

Consent for publication

Not applicable.

Competing interests

The authors declare that they have no competing interests.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Author details

¹Whiston Hospital, Prescott, Merseyside and Department of Molecular and Clinical Pharmacology, University of Liverpool, Liverpool, UK. ²Imperial College, London, UK. ³Intensive Care Unit, John Radcliffe Hospital, Oxford, UK. ⁴University of Sheffield, Sheffield, UK. ⁵The Health Foundation, London, UK. ⁶Hospital Cochin, Paris, France. ⁷Department of Anaesthesiology and Pain Medicine, Bern University Hospital and University of Bern, Bern, Switzerland. ⁸Barts and the London Queen Mary School of Medicine, London, UK. ⁹Institute of Clinical Sciences, University of Birmingham, Birmingham, UK. ¹⁰GenOSept National Coordinators, European Society of Intensive Care Medicine (ESICM), Rue Belliard, 19, B-1040 Brussels, Belgium.

Received: 10 September 2018 Accepted: 22 April 2019

Published online: 07 May 2019

References

- Angus DC, van der Poll T. Severe Sepsis and septic shock. *N Engl J Med*. 2013;369:840–51.
- Lever A, Mackenzie I. Sepsis: definition, epidemiology, and diagnosis. *BMJ*. 2007;335:879–83. <https://doi.org/10.1136/bmj.39346.495880.AE>.
- Rosenthal GE, Kaboli PJ, Barnett MJ, Sirio CA. Age and the risk of in-hospital death: insights from a multihospital study of intensive care patients. *J Am Geriatr Soc*. 2002;50:1205–12. <http://www.ncbi.nlm.nih.gov/pubmed/12133014>. Accessed 28 Apr 2014.
- Angeles MK, Pratschke S, Hubbard WJ, Chaudry IH. Gender differences in sepsis: cardiovascular and immunological aspects. *Virulence*. 2014;5:12–9. <https://doi.org/10.4161/viru.26982>.
- Plurad DS, Lustenberger T, Kilday P, Zhu J, Green DJ, Inaba K, et al. The association of race and survival from sepsis after injury. *Am Surg*. 2010;76:43–7. <http://www.ncbi.nlm.nih.gov/pubmed/20135938>. Accessed 27 Nov 2017.
- Flores C. Host genetics shapes adult sepsis survival. [https://www.thelancet.com/journals/lanres/article/PIIS2213-2600\(14\)70307-8/fulltext](https://www.thelancet.com/journals/lanres/article/PIIS2213-2600(14)70307-8/fulltext), vol. 3; 2015. [https://doi.org/10.1016/S2213-2600\(14\)70307-8](https://doi.org/10.1016/S2213-2600(14)70307-8).
- Paugam-Burtz C, Dupont H, Marmuse J-P, Chosidow D, Malek L, Desmonts J-M, et al. Daily organ-system failure for diagnosis of persistent intra-abdominal sepsis after postoperative peritonitis. *Intensive Care Med*. 2002; 28:594–8. <https://doi.org/10.1007/s00134-002-1250-5>.
- Tridente A. Sepsis 3 and the burns patient: do we need Sepsis 3.1? *Scars, Burn Heal*, vol. 4; 2018. p. 205951311879065. <https://doi.org/10.1177/2059513118790658>.
- Oltean S, Țăulescu D, Bondor C, Slavcovici A, Cismaru C, Lupșe M, et al. Charlson's weighted index of comorbidities is useful in assessing the risk of death in septic patients. *J Crit Care*. 2012;27:370–5. <https://doi.org/10.1016/j.jcrc.2011.08.021>.
- Mills TC, Chapman S, Hutton P, Gordon AC, Bion J, Chiche J-D, et al. Variants in the mannose-binding lectin gene *MBL2* do not associate with Sepsis susceptibility or survival in a large European cohort. *Clin Infect Dis*. 2015;61: 695–703. <https://doi.org/10.1093/cid/civ378>.
- Tridente A, Clarke GM, Walden A, McKechnie S, Hutton P, Mills GH, et al. Patients with faecal peritonitis admitted to European intensive care units: an epidemiological survey of the GenOSept cohort. *Intensive Care Med*. 2014;40:202–10.
- Rautanen A, Mills TC, Gordon AC, Hutton P, Steffens M, Nuamah R, et al. Genome-wide association study of survival from sepsis due to pneumonia: an observational cohort study. *Lancet Respir Med*. 2015;3:53–60. [https://doi.org/10.1016/S2213-2600\(14\)70290-5](https://doi.org/10.1016/S2213-2600(14)70290-5).
- Tridente A, Clarke GM, Walden A, Gordon AC, Hutton P, Chiche J-D, et al. Association between trends in clinical variables and outcome in intensive care patients with faecal peritonitis: analysis of the GenOSept cohort. *Crit Care*. 2015;19:210.
- Walden AP, Clarke GM, McKechnie S, Hutton P, Gordon AC, Rello J, et al. Patients with community acquired pneumonia admitted to European intensive care units: an epidemiological survey of the GenOSept cohort. *Crit Care*. 2014;18:R58. <https://doi.org/10.1186/cc13812>.
- Scherag A, Schöneweck F, Kesselmeier M, Taudien S, Platzer M, Felder M, et al. Genetic factors of the disease course after Sepsis: a genome-wide study for 28Day mortality. *EBioMedicine*. 2016;12:239–46. <https://doi.org/10.1016/j.ebiom.2016.08.043>.
- Tridente A, Bion J, Mills GH, Gordon AC, Clarke GM, Walden A, et al. Derivation and validation of a prognostic model for postoperative risk stratification of critically ill patients with faecal peritonitis. *Ann Intensive Care*. 2017;7:96.
- Majumder MA, Cook-Deegan R, McGuire AL. Beyond our Borders? Public resistance to global genomic data sharing. *PLoS Biol*. 2016;14:e2000206. <https://doi.org/10.1371/journal.pbio.2000206>.
- Pehboeck D, Hohlrieder M, Wenzel V, Benzer A. Submission of clinical studies to ethics committees or clinical trials registers: the authors' point of view. *Intensive Care Med*. 2009;35:713–6. <https://doi.org/10.1007/s00134-009-1434-3>.
- Shepherd V. Research involving adults lacking capacity to consent: the impact of research regulation on "evidence biased" medicine. *BMC Med Ethics*. 2016;17:55. <https://doi.org/10.1186/s12910-016-0138-9>.
- Hernandez R, Cooney M, Dualé C, Gálvez M, Gaynor S, Kardos G, et al. Harmonisation of ethics committees' practice in 10 European countries. *J Med Ethics*. 2009;35:696–700. <https://doi.org/10.1136/jme.2009.030551>.
- National Commission for the Protection of Human Subjects of Biomedical and Behavioral Research. The Belmont report: ethical principles and guidelines for the protection of human subjects of research. Washington, DC: U.S. Department of Health and Human Services; 1978. <http://www.hhs.gov/ohrp/humansubjects/guidance/belmont.html>. Accessed 22 Dec 2015.
- WMA Declaration of Helsinki – Ethical Principles for Medical Research Involving Human Subjects – WMA – The World Medical Association. 1964. <https://www.wma.net/policies-post/wma-declaration-of-helsinki-ethical-principles-for-medical-research-involving-human-subjects/>. Accessed 2 Mar 2018.
- Clinical trials - Directive 2001/20/EC - European Commission. https://ec.europa.eu/health/human-use/clinical-trials/directive_en. Accessed 2 Mar 2018.
- Sterz F, A Singer E, Böttiger B, Chamberlain D, Baskett P, Bossaert L, et al. A serious threat to evidence based resuscitation within the European Union. *Resuscitation*. 2002;53:237–238. <http://www.ncbi.nlm.nih.gov/pubmed/12062833>. Accessed 31 Mar 2016.
- Lemaire F, Bion J, Blanco J, Damas P, Druml C, Falke K, et al. The European Union directive on clinical research: present status of implementation in EU member states' legislations with regard to the incompetent patient. *Intensive Care Med*. 2005;31:476–9. <https://doi.org/10.1007/s00134-005-2574-8>.
- Bosch X. Europe's restrictive rules strangling clinical research. *Nat Med*. 2005; 11:1260. <https://doi.org/10.1038/nm1205-1260b>.
- McMahon AD, Conway DI, Macdonald TM, McInnes GT. The unintended consequences of clinical trials regulations. *PLoS Med*. 2009;3:e1000131. <https://doi.org/10.1371/journal.pmed.1000131>.

28. Liddell K, Kompanje EJO, Lemaire F, Vrhovac B, Menon DK, Bion J, et al. Recommendations in relation to the EU clinical trials directive and medical research involving incapacitated adults. *Wien Klin Wochenschr.* 2006;118: 183–91. <https://doi.org/10.1007/s00508-006-0577-2>.
29. Liddell K, Chamberlain D, Menon DK, Bion J, Kompanje EJO, Lemaire F, et al. The European clinical trials directive revisited: the VISEAR recommendations. *Resuscitation.* 2006;69:9–14. <https://doi.org/10.1016/j.resuscitation.2005.12.004>.
30. Frewer LJ, Coles D, Champion K, Demotes-Mainard J, Goetbuget N, Ihrig K, et al. Has the European clinical trials directive been a success? *BMJ.* 2010;340: c1862 <http://www.ncbi.nlm.nih.gov/pubmed/20382668>. Accessed 3 Aug 2015.
31. Hearnshaw H. Comparison of requirements of research ethics committees in 11 European countries for a non-invasive interventional study. *BMJ.* 2004; 328:140–1. <https://doi.org/10.1136/bmj.328.7432.140>.
32. Stamer UM, Naef N, Porz R, Stuber F, Leva B, Meissner W, et al. Ethical procedures and patient consent differ in Europe. *Eur J Anaesthesiol.* 2015; 32:126–31. <https://doi.org/10.1097/EJA.0000000000000206>.
33. Møller AM. Ethical requirements in Europe: different legislations, different traditions, the Danish perspective. *Eur J Anaesthesiol.* 2013;30:53–4. <https://doi.org/10.1097/EJA.0b013e32835af2af>.
34. Rikkert MGMO, Lauque S, Frölich L, Vellas B, Dekkers W. The practice of obtaining approval from medical research ethics committees: a comparison within 12 European countries for a descriptive study on acetylcholinesterase inhibitors in Alzheimer's dementia. *Eur J Neurol.* 2005;12:212–7. <https://doi.org/10.1111/j.1468-1331.2004.00980.x>.
35. Sherwood ML, Buchinsky FJ, Quigley MR, Donfack J, Choi SS, Conley SF, et al. Unique challenges of obtaining regulatory approval for a multicenter protocol to study the genetics of RRP and suggested remedies. *Otolaryngol Head Neck Surg.* 2006;135:189–96. <https://doi.org/10.1016/j.otohns.2006.03.028>.
36. Duley L, Antman K, Arena J, Avezum A, Blumenthal M, Bosch J, et al. Specific barriers to the conduct of randomized trials. *Clin Trials.* 2008;5:40–8. <https://doi.org/10.1177/1740774507087704>.
37. Mental Capacity Act - Health Research Authority. <https://www.hra.nhs.uk/planning-and-improving-research/policies-standards-legislation/mental-capacity-act/>. Accessed 21 Jan 2018.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

